

# Вертикальные профессиональные слайсеры

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59


Киргизия +996(312)96-26-47

эл.почта: [eyu@nt-rt.ru](mailto:eyu@nt-rt.ru) || сайт: <https://everest.nt-rt.ru/>

# Vertical professional slicer F370SVL



Construction in special anodised aluminium alloy has the advantage of quick cleaning and absolute hygiene. The aluminium casting – not die-cast – makes the machine particularly robust. The cutting thickness regulator from 0 to 16 mm is very sensitive and allows decimal adjustment. The easy-to-install sharpener simplifies the user's work by keeping the perfect cut efficiently. The ball-bearing mounted cutting deck is exceptionally smooth and can cut heavy meats, roasts, cheeses, fish, hard meats and more. Built-in sharpener. One-piece cast base; standard plate block with non-removable knob; water and grease protection ring around the spindle; increased blade/case spacing for easy cleaning. Ventilated motor.




## Technical features

BLADE	370
RPM	260
CUTTING USEFUL LxH mm	330x260
CUT THICKNESS	mm. 0'16
A mm	420
B mm	630
C mm	650
D mm	920
E mm	660
NET WEIGHT	KG 44.5
GROSS WEIGHT	Kg 50
PACKAGING DIMENSION	cm 64 x 83 x 70

# Vertical professional slicer F350SVL



Construction in special anodised aluminium alloy has the advantage of quick cleaning and absolute hygiene. The aluminium casting – not die-cast – makes the machine particularly robust. The cutting thickness regulator from 0 to 16 mm is very sensitive and allows decimal adjustment. The easy-to-install sharpener simplifies the user's work by keeping the perfect cut efficiently. The ball-bearing mounted cutting deck is exceptionally smooth and can cut heavy meats, roasts, cheeses, fish, hard meats and more. Built-in sharpener. One-piece cast base; standard plate block with non-removable knob; water and grease protection ring around the spindle; increased blade/case spacing for easy cleaning. Ventilated motor.




## Technical features

BLADE	350
RPM	260
CUTTING USEFUL LxH mm	330x250
CUT THICKNESS	mm. 0'16
A mm	420
B mm	630
C mm	650
D mm	920
E mm	660
NET WEIGHT	Kg 43,5
GROSS WEIGHT	Kg 50
PACKAGING DIMENSION	cm 64 x 83 x 70

# Vertical professional slicer F330SVL



Construction in special anodised aluminium alloy has the advantage of quick cleaning and absolute hygiene. The aluminium casting – not die-cast – makes the machine particularly robust. The cutting thickness regulator from 0 to 16 mm is very sensitive and allows decimal adjustment. The easy-to-install sharpener simplifies the user's work by keeping the perfect cut efficiently. The ball-bearing mounted cutting deck is exceptionally smooth and can cut heavy meats, roasts, cheeses, fish, hard meats and more. Built-in sharpener. One-piece cast base; standard plate block with non-removable knob; water and grease protection ring around the spindle; increased blade/case spacing for easy cleaning. Ventilated motor.




## Technical features

BLADE	330
RPM	260
CUTTING USEFUL LxH mm	260×220
CUT THICKNESS	mm. 0'16
A mm	400
B mm	560
C mm	570
D mm	790
E mm	660
NET WEIGHT	Kg 37
GROSS WEIGHT	Kg 50
PACKAGING DIMENSION	cm 64 x 83 x 70

# Vertical professional slicer F300SVL



Construction in special anodised aluminium alloy has the advantage of quick cleaning and absolute hygiene. The aluminium casting – not die-cast – makes the machine particularly robust. The cutting thickness regulator from 0 to 16 mm is very sensitive and allows decimal adjustment. The easy-to-install sharpener simplifies the user's work by keeping the perfect cut efficiently. The ball-bearing mounted cutting deck is exceptionally smooth and can cut heavy meats, roasts, cheeses, fish, hard meats and more. Built-in sharpener. One-piece cast base; standard plate block with non-removable knob; water and grease protection ring around the spindle; increased blade/case spacing for easy cleaning. Ventilated motor.




## Technical features

BLADE	300
RPM	260
CUTTING USEFUL LxH mm	330 x 260
CUT THICKNESS	mm. 0'16
A mm	400
B mm	560
C mm	570
D mm	790
E mm	660
NET WEIGHT	Kg 36
GROSS WEIGHT	Kg 50
PACKAGING DIMENSION	cm 64 x 83 x 70

# Vertical professional slicer F300SVR



Construction in special anodised aluminium alloy has the advantage of quick cleaning and absolute hygiene. The aluminium casting – not die-cast – makes the machine particularly robust. The cutting thickness regulator from 0 to 16 mm is very sensitive and allows decimal adjustment. The easy-to-install sharpener simplifies the user's work by keeping the perfect cut efficiently. The ball-bearing mounted cutting deck is exceptionally smooth and can cut heavy meats, roasts, cheeses, fish, hard meats and more. Built-in sharpener. One-piece cast base; standard plate block with non-removable knob; water and grease protection ring around the spindle; increased blade/case spacing for easy cleaning. Ventilated motor.




## Technical features

BLADE	300
RPM	300
CUTTING USEFUL LxH mm	240 x 175
CUT THICKNESS	mm. 0'16
A mm	360
B mm	460
C mm	520
D mm	610
E mm	515
NET WEIGHT	Kg 21
GROSS WEIGHT	Kg 40
PACKAGING DIMENSION	cm 58 x 71 x 63

# Professional vertical slicer F370CVL



Construction in special anodised aluminium alloy has the advantage of quick cleaning and absolute hygiene. The aluminium casting – not die-cast – makes the machine particularly robust. The cutting thickness regulator from 0 to 16 mm is very sensitive and allows decimal adjustment. The easy-to-install sharpener simplifies the user's work by keeping the perfect cut efficiently. The ball-bearing mounted cutting deck is exceptionally smooth and can cut heavy meats, roasts, cheeses, fish, hard meats and more. Built-in sharpener. One-piece cast base; standard plate block with non-removable knob; water and grease protection ring around the spindle; increased blade/case spacing for easy cleaning. Ventilated motor.




## Technical features

BLADE	370
RPM	260
CUTTING USEFUL LxH mm	360x260
CUT THICKNESS	0'16
A mm	420
B mm	630
C mm	650
D mm	920
E mm	670
NET WEIGHT	Kg. 44
GROSS WEIGHT	Kg 50
PACKAGING DIMENSION	cm 64 x 83 x 70

# Professional vertical slicer F350CVL



Construction in special anodised aluminium alloy has the advantage of quick cleaning and absolute hygiene. The aluminium casting – not die-cast – makes the machine particularly robust. The cutting thickness regulator from 0 to 16 mm is very sensitive and allows decimal adjustment. The easy-to-install sharpener simplifies the user's work by keeping the perfect cut efficiently. The ball-bearing mounted cutting deck is exceptionally smooth and can cut heavy meats, roasts, cheeses, fish, hard meats and more. Built-in sharpener. One-piece cast base; standard plate block with non-removable knob; water and grease protection ring around the spindle; increased blade/case spacing for easy cleaning. Ventilated motor.



## Technical features


BLADE	350
RPM	260
CUTTING USEFUL LxH mm	360x250
CUT THICKNESS	mm. 0'16
A mm	420
B mm	630
C mm	680
D mm	920
E mm	670
NET WEIGHT	Kg. 43
GROSS WEIGHT	Kg 50
PACKAGING DIMENSION	cm 64 x 83 x 70



# Professional vertical slicer F330CVL



Construction in special anodised aluminium alloy has the advantage of quick cleaning and absolute hygiene. The aluminium casting – not die-cast – makes the machine particularly robust. The cutting thickness regulator from 0 to 16 mm is very sensitive and allows decimal adjustment. The easy-to-install sharpener simplifies the user's work by keeping the perfect cut efficiently. The ball-bearing mounted cutting deck is exceptionally smooth and can cut heavy meats, roasts, cheeses, fish, hard meats and more. Built-in sharpener. One-piece cast base; standard plate block with non-removable knob; water and grease protection ring around the spindle; increased blade/case spacing for easy cleaning. Ventilated motor.



## Technical features

BLADE	330
RPM	280
CUTTING USEFUL LxH mm	260x220
CUT THICKNESS	mm. 0'16
A mm	400
B mm	560
C mm	615
D mm	830
E mm	590
NET WEIGHT	Kg. 35,5
GROSS WEIGHT	Kg 40
PACKAGING DIMENSION	cm 58 x 71 x 63



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

**Россия** +7(495)268-04-70

**Казахстан** +(727)345-47-04

**Беларусь** +(375)257-127-884

**Узбекистан** +998(71)205-18-59

**Киргизия** +996(312)96-26-47